

## Food &amp; Water Testing

**ANALYTICAL REPORT**

 REPORT CODE **AR-26-NW-017181-01** REPORT DATE **27/02/2026**
**Attention** Winstone Aggregates - Otaki  
 Imogen Mckernan  
 1 State Highway 1  
 5543 Otaki  
 NEW ZEALAND

**Phone** +64 27 555 6217

**Email** Imogen.Mckernan@winstoneaggregates.co.nz

**Copy to:** paxie (andreas.paxie@gmail.com), Edwards  
 (gary.edwards@winstoneaggregates.co.nz), Vavetuki

**Contact for your orders:** Mohammed Marza  
**Contract:** Otaki

**Order code:** EUNZWE-00308955

**Purchase Order Number:** 5500036433

**SAMPLE CODE** **812-2026-00028315**
**Sampling Point code:** NW0002209003  
**Reception Date & Time:** 18/02/2026 16:03  
**Analysis Started on:** 18/02/2026  
**Product Type** Ground water  
**Sampler(s)** Josh Cabral

**Sampling Point name:** 72 Te Roto Site Bore

**Analysis Ending Date:** 27/02/2026

**Sampled Date & Time** 18/02/2026 12:17

**Sampled by Eurofins** Yes

**ORGANICS** **RESULTS** **LOQ**
**NW227 TPH (GC-FID)**

	RESULTS		LOQ
TPH C10 - C12	<0.1	mg/l	0.1
Maximum TPH Content	<0.1	mg/l	0.1
TPH C13 - C19	<0.1	mg/l	0.1
TPH C20 - C26	<0.1	mg/l	0.1
TPH C27 - C37	<0.1	mg/l	0.1
TPH C7 - C9	<0.1	mg/l	0.1

**RESULTS** **LOQ**
**NW003 Total Alkalinity**

Alkalinity total 29 mg CaCO3/l 1

**NW007 Chloride**

Chloride (Cl) 9.11 mg/l 0.02

**NW010 Nitrate-N**

Nitrate-N 0.29 mg/l 0.01

**NW023 Conductivity**

Conductivity 10.9 mS/m 0.1

**NW030 Total Hardness**

Hardness 37 mg CaCO3/l 1

**NW098 Dissolved Aluminium**

Aluminium &lt;0.002 mg/l 0.002

**NW105 Dissolved Calcium**

Calcium (Ca) 11.4 mg/l 0.05

**NW109 Dissolved Iron**

Iron (Fe) 0.041 mg/l 0.005

**NW112 Dissolved Magnesium**

Magnesium (Mg) 2.14 mg/l 0.01

**NW113 Dissolved Manganese**

Manganese (Mn) 0.0020 mg/l 0.0005

## Food & Water Testing

	RESULTS	LOQ
<b>NW195 pH (Tested beyond 15 minute APHA holding time)</b>		
pH	6.8	0.1
<b>NW212 Turbidity</b>		
Turbidity	3.4	NTU 0.01
<b>UME9S Enumeration of Faecal Coliforms by Membrane Filtration</b>		
Faecal Coliforms	<1	cfu/100 ml 1
<b>ZM0UW Enumeration of Escherichia coli by Membrane Filtration</b>		
Escherichia coli	<1	cfu/100 ml 1

LIST OF METHODS	
NW003 <b>Total Alkalinity:</b> APHA 24th Edition 2320 B	NW007 <b>Chloride:</b> APHA 24th Edition 4110 B
NW010 <b>Nitrate-N:</b> APHA 24th Edition 4110 B	NW023 <b>Conductivity:</b> APHA 24th Edition 2510 B
NW030 <b>Total Hardness:</b> APHA 24th Edition 2340 B	NW098 <b>Dissolved Aluminium:</b> APHA 24th Edition 3125 B mod.
NW105 <b>Dissolved Calcium:</b> APHA 24th Edition 3125 B mod.	NW109 <b>Dissolved Iron:</b> APHA 24th Edition 3125 B mod.
NW112 <b>Dissolved Magnesium:</b> APHA 24th Edition 3125 B mod.	NW113 <b>Dissolved Manganese:</b> APHA 24th Edition 3125 B mod.
NW195 <b>pH (Tested beyond 15 minute APHA holding time):</b> APHA 24th Edition 4500-H B	NW212 <b>Turbidity:</b> APHA 24th Edition 2130 B
NW227 <b>TPH (GC-FID):</b> Internal Method, GC-FID	UME9S <b>Faecal Coliforms E &lt;1 &gt;60 cfu/100 ml (0) m-FC Agar-F:</b> SMEWW 9222D; APHA 24th Edition
ZM0UW <b>Escherichia coli E &lt;1 &gt;60 cfu/100 ml (0) m-FC Agar-F:</b> SMEWW 9222I; APHA 24th Edition	

Signature

**Marylou Cabral** Laboratory Manager  
Eurofins ELS Limited

**Divina Cunanan Lagazon** Laboratory Supervisor  
Eurofins ELS Limited

**Gordon McArthur** Senior Laboratory Analyst  
Eurofins ELS Limited

**Ganesh Ilancko** Laboratory Supervisor  
Eurofins ELS Limited

**Vineel Chandra** Team Leader Eurofins ELS Limited

**Cody Forbes** Technical Specialist  
Eurofins ELS Limited

**EXPLANATORY NOTE**

- ① Test is not accredited
- ② Test is subcontracted within Eurofins group and is accredited
- ③ Test is subcontracted within Eurofins group and is not accredited
- ④ Test is subcontracted outside Eurofins group and is accredited
- ⑤ Test is subcontracted outside Eurofins group and is not accredited
- ⑥ Test result is provided by the customer and is not accredited
- ⑦ Tested at the sampling point by Eurofins and is not accredited
- ⑧ Tested at the sampling point by Eurofins and is accredited
- ⑨ Test is RLP accredited
- ⑩ Test is subcontracted within Eurofins group and is RLP accredited

**N/A** means Not Applicable

**Not Detected** means not detected at or above the Limit of Quantification (LOQ)

**LOQ** means Limit of Quantification and the unit of LOQ is the same as the result unit

✘ (Unsatisfactory) means does not meet the specification

✔ (Satisfactory) means meets the specification

**MAV** means Maximum Allowable Value

## Food & Water Testing

The Customer acknowledges and accepts that: (a) where Eurofins is not responsible for sampling, the test result(s) in this report apply only to the sample as received. Customer is solely responsible for the sampling process and warrants that the sample provided to Eurofins is representative of the lot / batch from which the samples were drawn; and (b) Eurofins expresses no opinion and accepts no liability in respect of the Customer's production process or homogeneity of the product.

The tests are identified by a five-digit code, their description is available on request.

Accreditation does not apply to comments or graphical representations.

Unless otherwise stated, all tests in this analytical report (except for subcontracted tests) are performed at 85 Port Road, Seaview, Lower Hutt, Wellington, NEW ZEALAND. The laboratory is not responsible for the information provided by the customer which can affect the validity of the results, for example: sampling information such as date/time, field data etc.

Eurofins may subcontract the performance of part or all of the Services to a third party and the Customer authorises the release of all information necessary to the third party for the provision of the Services.

All samples become the property of Eurofins to the extent necessary for the performance of the Services.

Eurofins will not be required to store samples and may destroy or otherwise dispose of the samples or return the samples to the Customer (at the Customer's cost in all respects) immediately following analysis of the samples.

If the Customer pays for storage of the samples Eurofins will take commercially reasonable steps to store the samples for the agreed period in terms of industry practice.

The Eurofins water sampling service follows methodology based on AS/NZS 5667 and / or best practice to collect and transport samples that are fit for the purpose of analytical testing. The laboratory is not responsible for sampling activities unless explicitly indicated by the statement "Sampled by Eurofins" on the report for water samples.

The Customer acknowledges that the Services are provided using the current state of technology and methods developed and generally applied by Eurofins and involve analysis, interpretations, consulting work and conclusions. Eurofins shall use commercially reasonable degree of care in providing the Services.

This report is produced and issued on the basis of information, documents and/or samples provided by, or on behalf of, the Customer and solely for the benefit of the Customer who is responsible for acting as it sees fit on the basis of this report. Neither Eurofins nor any of its officers, employees, agents or subcontractors shall be liable to the Customer nor any third party for any actions taken or not taken on the basis of this report nor for any incorrect results arising from unclear, erroneous, incomplete, misleading or false information provided to Eurofins.

The Customer shall not alter any report or other Output provided to the Customer by Eurofins or misrepresent the contents of such Outputs in any way. The Customer shall be entitled to make copies for its internal purposes only.

The Customer may only reproduce or publish any report or document provided to the Customer by Eurofins in full without alteration. Eurofins' name, logo or service marks, or any other means of identification cannot be used in any publication by the Customer, unless the Customer has obtained the prior written consent of Eurofins.

Eurofins shall have no liability for any indirect or consequential loss including, without limitation, loss of production, loss of contracts, loss of profits, loss of business or costs incurred from business interruption, loss of opportunity, loss of goodwill or damage to reputation and cost of product recall (including any losses suffered as a result of distribution of the Customer's products subject of the Services prior to the report being released by Eurofins). It shall further have no liability for any loss, damage or expenses arising from the claims of any third party (including, without limitation, product liability claims) that may be incurred by the Customer.

Eurofins General Terms and Conditions apply.

**END OF REPORT**

## Food & Water Testing

# ANALYTICAL REPORT

REPORT CODE	<b>AR-26-NW-017182-01</b>	REPORT DATE	<b>27/02/2026</b>
-------------	---------------------------	-------------	-------------------

**Attention** Winstone Aggregates - Otaki  
 Imogen Mckernan  
 1 State Highway 1  
 5543 Otaki  
 NEW ZEALAND

**Phone** +64 27 555 6217

**Email** Imogen.Mckernan@winstoneaggregates.co.nz

**Copy to:** paxie (andreas.paxie@gmail.com), Edwards  
 (gary.edwards@winstoneaggregates.co.nz), Vavetuki

**Contact for your orders:** Mohammed Marza  
**Contract:** Otaki

**Order code:** EUNZWE-00308955

**Purchase Order Number:** 5500036433

**SAMPLE CODE** 812-2026-00028316

**Sampling Point code:** NW0002209001

**Sampling Point name:** Winstone Otaki Bore

**Reception Date & Time:** 18/02/2026 16:03

**Analysis Started on:** 18/02/2026

**Analysis Ending Date:** 27/02/2026

**Product Type** Ground water

**Sampled Date & Time** 18/02/2026 13:52

**Sampler(s)** Josh Cabral

**Sampled by Eurofins** Yes

ORGANICS	RESULTS		LOQ
<b>NW227 TPH (GC-FID)</b>			
TPH C10 - C12	<0.1	mg/l	0.1
Maximum TPH Content	<0.1	mg/l	0.1
TPH C13 - C19	<0.1	mg/l	0.1
TPH C20 - C26	<0.1	mg/l	0.1
TPH C27 - C37	<0.1	mg/l	0.1
TPH C7 - C9	<0.1	mg/l	0.1

	RESULTS		LOQ
<b>NW003 Total Alkalinity</b>			
Alkalinity total	30	mg CaCO3/l	1
<b>NW007 Chloride</b>			
Chloride (Cl)	8.90	mg/l	0.02
<b>NW010 Nitrate-N</b>			
Nitrate-N	0.23	mg/l	0.01
<b>NW023 Conductivity</b>			
Conductivity	11.3	mS/m	0.1
<b>NW030 Total Hardness</b>			
Hardness	41	mg CaCO3/l	1
<b>NW098 Dissolved Aluminium</b>			
Aluminium	<0.002	mg/l	0.002
<b>NW105 Dissolved Calcium</b>			
Calcium (Ca)	12.7	mg/l	0.05
<b>NW109 Dissolved Iron</b>			
Iron (Fe)	<0.005	mg/l	0.005
<b>NW112 Dissolved Magnesium</b>			
Magnesium (Mg)	2.33	mg/l	0.01
<b>NW113 Dissolved Manganese</b>			
Manganese (Mn)	<0.0005	mg/l	0.0005

## Food & Water Testing

	RESULTS	LOQ
<b>NW195 pH (Tested beyond 15 minute APHA holding time)</b>		
pH	6.5	0.1
<b>NW212 Turbidity</b>		
Turbidity	0.5	NTU 0.01
<b>UME9S Enumeration of Faecal Coliforms by Membrane Filtration</b>		
Faecal Coliforms	<1	cfu/100 ml 1
<b>ZM0UW Enumeration of Escherichia coli by Membrane Filtration</b>		
Escherichia coli	<1	cfu/100 ml 1

LIST OF METHODS	
NW003 <b>Total Alkalinity:</b> APHA 24th Edition 2320 B	NW007 <b>Chloride:</b> APHA 24th Edition 4110 B
NW010 <b>Nitrate-N:</b> APHA 24th Edition 4110 B	NW023 <b>Conductivity:</b> APHA 24th Edition 2510 B
NW030 <b>Total Hardness:</b> APHA 24th Edition 2340 B	NW098 <b>Dissolved Aluminium:</b> APHA 24th Edition 3125 B mod.
NW105 <b>Dissolved Calcium:</b> APHA 24th Edition 3125 B mod.	NW109 <b>Dissolved Iron:</b> APHA 24th Edition 3125 B mod.
NW112 <b>Dissolved Magnesium:</b> APHA 24th Edition 3125 B mod.	NW113 <b>Dissolved Manganese:</b> APHA 24th Edition 3125 B mod.
NW195 <b>pH (Tested beyond 15 minute APHA holding time):</b> APHA 24th Edition 4500-H B	NW212 <b>Turbidity:</b> APHA 24th Edition 2130 B
NW227 <b>TPH (GC-FID):</b> Internal Method, GC-FID	UME9S <b>Faecal Coliforms E &lt;1 &gt;60 cfu/100 ml (0) m-FC Agar-F:</b> SMEWW 9222D; APHA 24th Edition
ZM0UW <b>Escherichia coli E &lt;1 &gt;60 cfu/100 ml (0) m-FC Agar-F:</b> SMEWW 9222I; APHA 24th Edition	

Signature

**Marylou Cabral** Laboratory Manager  
Eurofins ELS Limited

**Divina Cunanan Lagazon** Laboratory Supervisor  
Eurofins ELS Limited

**Gordon McArthur** Senior Laboratory Analyst  
Eurofins ELS Limited

**Ganesh Ilancko** Laboratory Supervisor  
Eurofins ELS Limited

**Vineel Chandra** Team Leader Eurofins ELS Limited

**Cody Forbes** Technical Specialist  
Eurofins ELS Limited

**EXPLANATORY NOTE**

- ① Test is not accredited
- ② Test is subcontracted within Eurofins group and is accredited
- ③ Test is subcontracted within Eurofins group and is not accredited
- ④ Test is subcontracted outside Eurofins group and is accredited
- ⑤ Test is subcontracted outside Eurofins group and is not accredited
- ⑥ Test result is provided by the customer and is not accredited
- ⑦ Tested at the sampling point by Eurofins and is not accredited
- ⑧ Tested at the sampling point by Eurofins and is accredited
- ⑨ Test is RLP accredited
- ⑩ Test is subcontracted within Eurofins group and is RLP accredited

**N/A** means Not Applicable

**Not Detected** means not detected at or above the Limit of Quantification (LOQ)

**LOQ** means Limit of Quantification and the unit of LOQ is the same as the result unit

✘ (Unsatisfactory) means does not meet the specification

✔ (Satisfactory) means meets the specification

**MAV** means Maximum Allowable Value

## Food & Water Testing

The Customer acknowledges and accepts that: (a) where Eurofins is not responsible for sampling, the test result(s) in this report apply only to the sample as received. Customer is solely responsible for the sampling process and warrants that the sample provided to Eurofins is representative of the lot / batch from which the samples were drawn; and (b) Eurofins expresses no opinion and accepts no liability in respect of the Customer's production process or homogeneity of the product.

The tests are identified by a five-digit code, their description is available on request.

Accreditation does not apply to comments or graphical representations.

Unless otherwise stated, all tests in this analytical report (except for subcontracted tests) are performed at 85 Port Road, Seaview, Lower Hutt, Wellington, NEW ZEALAND. The laboratory is not responsible for the information provided by the customer which can affect the validity of the results, for example: sampling information such as date/time, field data etc.

Eurofins may subcontract the performance of part or all of the Services to a third party and the Customer authorises the release of all information necessary to the third party for the provision of the Services.

All samples become the property of Eurofins to the extent necessary for the performance of the Services.

Eurofins will not be required to store samples and may destroy or otherwise dispose of the samples or return the samples to the Customer (at the Customer's cost in all respects) immediately following analysis of the samples.

If the Customer pays for storage of the samples Eurofins will take commercially reasonable steps to store the samples for the agreed period in terms of industry practice.

The Eurofins water sampling service follows methodology based on AS/NZS 5667 and / or best practice to collect and transport samples that are fit for the purpose of analytical testing. The laboratory is not responsible for sampling activities unless explicitly indicated by the statement "Sampled by Eurofins" on the report for water samples.

The Customer acknowledges that the Services are provided using the current state of technology and methods developed and generally applied by Eurofins and involve analysis, interpretations, consulting work and conclusions. Eurofins shall use commercially reasonable degree of care in providing the Services.

This report is produced and issued on the basis of information, documents and/or samples provided by, or on behalf of, the Customer and solely for the benefit of the Customer who is responsible for acting as it sees fit on the basis of this report. Neither Eurofins nor any of its officers, employees, agents or subcontractors shall be liable to the Customer nor any third party for any actions taken or not taken on the basis of this report nor for any incorrect results arising from unclear, erroneous, incomplete, misleading or false information provided to Eurofins.

The Customer shall not alter any report or other Output provided to the Customer by Eurofins or misrepresent the contents of such Outputs in any way. The Customer shall be entitled to make copies for its internal purposes only.

The Customer may only reproduce or publish any report or document provided to the Customer by Eurofins in full without alteration. Eurofins' name, logo or service marks, or any other means of identification cannot be used in any publication by the Customer, unless the Customer has obtained the prior written consent of Eurofins.

Eurofins shall have no liability for any indirect or consequential loss including, without limitation, loss of production, loss of contracts, loss of profits, loss of business or costs incurred from business interruption, loss of opportunity, loss of goodwill or damage to reputation and cost of product recall (including any losses suffered as a result of distribution of the Customer's products subject of the Services prior to the report being released by Eurofins). It shall further have no liability for any loss, damage or expenses arising from the claims of any third party (including, without limitation, product liability claims) that may be incurred by the Customer.

Eurofins General Terms and Conditions apply.

**END OF REPORT**

## Food &amp; Water Testing

**ANALYTICAL REPORT**

 REPORT CODE **AR-26-NW-016733-01** REPORT DATE **26/02/2026**
**Attention** Winstone Aggregates - Otaki  
 Imogen Mckernan  
 1 State Highway 1  
 5543 Otaki  
 NEW ZEALAND

**Phone** +64 27 555 6217

**Email** Imogen.Mckernan@winstoneaggregates.co.nz

**Copy to:** paxie (andreas.paxie@gmail.com), Edwards  
 (gary.edwards@winstoneaggregates.co.nz), Vavetuki

**Contact for your orders:** Mohammed Marza  
**Contract:** Otaki

**Order code:** EUNZWE-00308955

**Purchase Order Number:** 5500036433

**SAMPLE CODE** **812-2026-00028317**
**Sampling Point code:** NW0002209002

**Sampling Point name:** Winstone Otaki Pond

**Reception Date & Time:** 18/02/2026 16:03

**Analysis Started on:** 18/02/2026

**Analysis Ending Date:** 26/02/2026

**Product Type** Ground water

**Sampled Date & Time** 18/02/2026 14:07

**Sampler(s)** Josh Cabral

**Sampled by Eurofins** Yes

**ORGANICS**
**RESULTS**
**LOQ**
**NW227 TPH (GC-FID)**

Parameter	Result	Unit	LOQ
TPH C10 - C12	<0.1	mg/l	0.1
Maximum TPH Content	<0.1	mg/l	0.1
TPH C13 - C19	<0.1	mg/l	0.1
TPH C20 - C26	<0.1	mg/l	0.1
TPH C27 - C37	<0.1	mg/l	0.1
TPH C7 - C9	<0.1	mg/l	0.1

**RESULTS**
**LOQ**
**NW003 Total Alkalinity**

Alkalinity total 30 mg CaCO3/l 1

**NW007 Chloride**

Chloride (Cl) 8.01 mg/l 0.02

**NW010 Nitrate-N**

Nitrate-N &lt;0.01 mg/l 0.01

**NW023 Conductivity**

Conductivity 8.9 mS/m 0.1

**NW030 Total Hardness**

Hardness 31 mg CaCO3/l 1

**NW098 Dissolved Aluminium**

Aluminium 0.004 mg/l 0.002

**NW105 Dissolved Calcium**

Calcium (Ca) 9.48 mg/l 0.05

**NW109 Dissolved Iron**

Iron (Fe) 0.022 mg/l 0.005

**NW112 Dissolved Magnesium**

Magnesium (Mg) 1.73 mg/l 0.01

**NW113 Dissolved Manganese**

Manganese (Mn) &lt;0.0005 mg/l 0.0005

## Food & Water Testing

	RESULTS		LOQ
<b>NW195 pH (Tested beyond 15 minute APHA holding time)</b>			
pH	9.4		0.1
<b>NW212 Turbidity</b>			
Turbidity	0.9	NTU	0.01
<b>ZMOUY Enumeration of Escherichia coli by Membrane Filtration</b>			
Escherichia coli	76	cfu/100 ml	4
<b>ZMOWF Enumeration of Faecal Coliforms by Membrane Filtration</b>			
Faecal Coliforms	4	cfu/100 ml	4

LIST OF METHODS	
NW003 <b>Total Alkalinity:</b> APHA 24th Edition 2320 B	NW007 <b>Chloride:</b> APHA 24th Edition 4110 B
NW010 <b>Nitrate-N:</b> APHA 24th Edition 4110 B	NW023 <b>Conductivity:</b> APHA 24th Edition 2510 B
NW030 <b>Total Hardness:</b> APHA 24th Edition 2340 B	NW098 <b>Dissolved Aluminium:</b> APHA 24th Edition 3125 B mod.
NW105 <b>Dissolved Calcium:</b> APHA 24th Edition 3125 B mod.	NW109 <b>Dissolved Iron:</b> APHA 24th Edition 3125 B mod.
NW112 <b>Dissolved Magnesium:</b> APHA 24th Edition 3125 B mod.	NW113 <b>Dissolved Manganese:</b> APHA 24th Edition 3125 B mod.
NW195 <b>pH (Tested beyond 15 minute APHA holding time):</b> APHA 24th Edition 4500-H B	NW212 <b>Turbidity:</b> APHA 24th Edition 2130 B
NW227 <b>TPH (GC-FID):</b> Internal Method, GC-FID	ZMOUY <b>Escherichia coli E &lt;4 &gt;240 cfu/100 ml (0) m-FC Agar-F:</b> SMEWW 9222I; APHA 24th Edition
ZMOWF <b>Faecal Coliforms E &lt;4 &gt;240 cfu/100 ml (0) m-FC Agar-F:</b> SMEWW 9222D; APHA 24th Edition	

Signature

**Marylou Cabral** Laboratory Manager  
Eurofins ELS Limited

**Divina Cunanan Lagazon** Laboratory Supervisor  
Eurofins ELS Limited

**Gordon McArthur** Senior Laboratory Analyst  
Eurofins ELS Limited

**Ganesh Ilancko** Laboratory Supervisor  
Eurofins ELS Limited

**Vineel Chandra** Team Leader Eurofins ELS Limited

**Cody Forbes** Technical Specialist  
Eurofins ELS Limited

**EXPLANATORY NOTE**

- ① Test is not accredited
- ② Test is subcontracted within Eurofins group and is accredited
- ③ Test is subcontracted within Eurofins group and is not accredited
- ④ Test is subcontracted outside Eurofins group and is accredited
- ⑤ Test is subcontracted outside Eurofins group and is not accredited
- ⑥ Test result is provided by the customer and is not accredited
- ⑦ Tested at the sampling point by Eurofins and is not accredited
- ⑧ Tested at the sampling point by Eurofins and is accredited
- ⑨ Test is RLP accredited
- ⑩ Test is subcontracted within Eurofins group and is RLP accredited

- N/A** means Not Applicable
- Not Detected** means not detected at or above the Limit of Quantification (LOQ)
- LOQ** means Limit of Quantification and the unit of LOQ is the same as the result unit
- ✘** (Unsatisfactory) means does not meet the specification
- ✓** (Satisfactory) means meets the specification
- MAV** means Maximum Allowable Value



## Food & Water Testing

The Customer acknowledges and accepts that: (a) where Eurofins is not responsible for sampling, the test result(s) in this report apply only to the sample as received. Customer is solely responsible for the sampling process and warrants that the sample provided to Eurofins is representative of the lot / batch from which the samples were drawn; and (b) Eurofins expresses no opinion and accepts no liability in respect of the Customer's production process or homogeneity of the product.

The tests are identified by a five-digit code, their description is available on request.

Accreditation does not apply to comments or graphical representations.

Unless otherwise stated, all tests in this analytical report (except for subcontracted tests) are performed at 85 Port Road, Seaview, Lower Hutt, Wellington, NEW ZEALAND. The laboratory is not responsible for the information provided by the customer which can affect the validity of the results, for example: sampling information such as date/time, field data etc.

Eurofins may subcontract the performance of part or all of the Services to a third party and the Customer authorises the release of all information necessary to the third party for the provision of the Services.

All samples become the property of Eurofins to the extent necessary for the performance of the Services.

Eurofins will not be required to store samples and may destroy or otherwise dispose of the samples or return the samples to the Customer (at the Customer's cost in all respects) immediately following analysis of the samples.

If the Customer pays for storage of the samples Eurofins will take commercially reasonable steps to store the samples for the agreed period in terms of industry practice.

The Eurofins water sampling service follows methodology based on AS/NZS 5667 and / or best practice to collect and transport samples that are fit for the purpose of analytical testing. The laboratory is not responsible for sampling activities unless explicitly indicated by the statement "Sampled by Eurofins" on the report for water samples.

The Customer acknowledges that the Services are provided using the current state of technology and methods developed and generally applied by Eurofins and involve analysis, interpretations, consulting work and conclusions. Eurofins shall use commercially reasonable degree of care in providing the Services.

This report is produced and issued on the basis of information, documents and/or samples provided by, or on behalf of, the Customer and solely for the benefit of the Customer who is responsible for acting as it sees fit on the basis of this report. Neither Eurofins nor any of its officers, employees, agents or subcontractors shall be liable to the Customer nor any third party for any actions taken or not taken on the basis of this report nor for any incorrect results arising from unclear, erroneous, incomplete, misleading or false information provided to Eurofins.

The Customer shall not alter any report or other Output provided to the Customer by Eurofins or misrepresent the contents of such Outputs in any way. The Customer shall be entitled to make copies for its internal purposes only.

The Customer may only reproduce or publish any report or document provided to the Customer by Eurofins in full without alteration. Eurofins' name, logo or service marks, or any other means of identification cannot be used in any publication by the Customer, unless the Customer has obtained the prior written consent of Eurofins.

Eurofins shall have no liability for any indirect or consequential loss including, without limitation, loss of production, loss of contracts, loss of profits, loss of business or costs incurred from business interruption, loss of opportunity, loss of goodwill or damage to reputation and cost of product recall (including any losses suffered as a result of distribution of the Customer's products subject of the Services prior to the report being released by Eurofins). It shall further have no liability for any loss, damage or expenses arising from the claims of any third party (including, without limitation, product liability claims) that may be incurred by the Customer.

Eurofins General Terms and Conditions apply.

**END OF REPORT**